



**Ultra**Lights















### Specifications

#### Description:

Modified 22493 Akut wall sconce, stainless steel construction with Marine Grade Primer.

#### Dimensions:

Approx. 36"h x 8"w x 11.5"d.

#### Lamping:

50.4w Integrated 3000K LED lamping, 120 volt, 9448 lumens @ the source for wet locations. Standard Phase dimming.

#### Diffuser:

Opal Acrylic Diffuser

#### Finish:

New Brass Powder coat finish with Marine Grade Primer.

### Note

UltraLights reserves the right to change specifications as necessary at any time without prior notice.

© UltraLights Lighting, all rights reserved.

No part of this publication may be reproduced, adapted, translated, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

project name / location:  
**COMMONWEALTH RESTAURANT**

quote #: PS44879

specifier name / location:  
**EDGE DESIGN GROUP**

date: 9/11/2023 11:30 AM

scale: 1" = 1'-0"

rev: 1

drawn by: KBH





joe kraus lighting 

301-537-5808

[joe@joe kraus lighting.com](mailto:joe@joe kraus lighting.com)

[www.joe kraus lighting.com](http://www.joe kraus lighting.com)